A method of generating a virtual library of compounds in silico comprising: selecting in silico a group of related fragments, each of said fragments constituting a part of said compounds, each of said related fragments having at least one attachment site;

selecting in silico at least one further fragment having at least one attachment site; and linking in silico said further fragment to said related fragments by connecting the attachment site of said further fragment to the attachment site of said related fragments to generate said virtual library of compounds.

 A method of generating a virtual library of compounds in silico comprising: selecting in silico a first fragment, said first fragment constituting a part of said compounds and having at least one attachment site;

selecting in silico a group of related fragments, each of said group of related fragments having at least one attachment site; and

linking in silico each of said group of related fragments to said first fragment by connecting the attachment site of each of said group of related fragments to the attachment site of said first fragment to generate said virtual library of compounds.

A method of generating a virtual library of compounds in silico comprising:

selecting in silico a first group of related fragments, each of said first group of related fragments constituting a part of said compounds and having at least one attachment site;

selecting in silico a further group of fragments, each of said further group of fragments having at least one attachment site; and

linking in silico each of said first group of related fragments to each of said further group of fragments by connecting the attachment site of each of said first group of related fragments to the attachment site of each of said further group of fragments to generate said virtual library of compounds.

 The method of claim 1 wherein each of said fragments is introduced in silico into said compounds by the use a corresponding reagent. awynsamy alough

- The method of claim 2 wherein each of said fragments is introduced in silico into said compounds by the use a corresponding reagent.
- The method of claim 3 wherein each of said fragments is introduced in silico into said
 compounds by the use a corresponding reagent.
- A method of identifying in silico each compound of a virtual library of compounds comprising:

dissecting said compounds into fragments; and

identifying each of said fragments in terms of a transformation wherein said transformation is a one to one link between the fragment and a reagent used to introduce said fragment into a compound.

- The method of claim 7 wherein said transformation is further associated with auxiliary reagents or reaction conditions.
- A method of generating a virtual library of compounds in silico comprising: dissecting said compounds into fragments;

representing each of said fragments in silico as a transformation wherein each transformation is a one to one link between a fragment and a reagent used to introduce said fragment into one of said compounds;

selecting in silico a first group of said fragments, each of said first group of fragments constituting a part of said compounds, each of said first group fragments having at least one attachment site;

selecting in silico at least one further fragment having at least one attachment site; and linking in silico said further fragment to said first group of fragments by connecting the attachment site of said further fragment to the attachment site of said members of said first group of fragments to generate said virtual library of compounds.

 A method of generating a virtual library of compounds in silico comprising: dissecting said compounds into fragments: dy/sssy_lleadi

representing each of said fragments in silico as a transformation wherein each transformation is a one to one link between a fragment and a reagent used to introduce said fragment into one of said compounds;

selecting in silico a fragment, said first fragment constituting a part of said compounds, said first fragment having at least one attachment site;

selecting in silico at group of further fragments each having at least one attachment site; and

linking in silico said group of further fragments to said first fragment by connecting the attachment site of said group of further fragments to the attachment site of first fragment to generate said virtual library of compounds.

 A method of generating a virtual library of compounds in silico comprising: dissecting said compounds into fragments;

representing each of said fragments in silico as a transformation wherein each transformation is a one to one link between a fragment and a reagent used to introduce said fragment into one of said compounds:

selecting in silico a first group of said fragments, each of said first group of fragments constituting a part of said compounds, each of said first group fragments having at least one attachment site:

selecting in silico at group of further fragments each having at least one attachment site: and

linking in silico at least some of the members of said group of further fragments to least some of members of said first group of fragments by connecting the attachment site of the members of said further fragments to the attachment site of said members of said first group of fragments to generate said virtual library of compounds.

12. A method of identifying in silico each compound of a virtual library of compounds comprising:

dissecting said compounds into fragments; adding said fragments together in sequential synthesis rounds; and tracking the addition of fragments of said compounds. 13. A method of identifying in silico each compound of a virtual library of compounds comprising:

dissecting said compounds into fragments;

representing each of said fragments in silico as a transformation wherein each transformation is a one to one link between a fragment and a reagent used to introduce said fragment into one of said compounds;

adding said transformations together in sequential synthesis rounds; and tracking transformations in silico.

14. A method of storing information about the member compounds of a virtual library of compounds comprising:

dissecting each of said compounds into fragments; linking together the fragments of each of the compounds; and tracking the sequence of linkage for each compound.

- 15. The method of claim 14 further including: grouping two or more compounds of said library together to form a mixture; and linking together the tracked information of each of the members of said mixture.
- 16. The method of claim 14 further including: grouping two or more compounds of said library together to form a mixture; grouping a further two or more compounds of said library together to form a further mixture;

linking together the tracked information of each of the members of said mixture; and linking together the tracked information of each of the members of said further mixture.

17. A method of storing information about member compounds in a virtual library of compounds comprising:

dissecting said compounds into fragments;

14/45059 . DiGit

representing each of said fragments as a transformation wherein each transformation is a one to one link between a fragment and a reagent used to introduce said fragment into one of said compounds;

linking together the transformations of each of the compounds; and tracking the sequence of linkage for each compound.

18. The method of claim 17 further including:

grouping two or more compounds of said library together to form a mixture; and linking together the tracked information of each of the members of said mixture.

19. The method of claim 17 further including:

grouping two or more compounds of said library together to form a mixture;

grouping a further two or more compounds of said library together to form a further mixture;

linking together the tracked information of each of the members of said mixture; and linking together the tracked information of each of the members of said further mixture.

20. The method of claim 17 further including:

defining each said transformation to further include information related to the synthesis of its fragment from its reagent.

21. A method of storing information about the member compounds of a virtual library of compounds comprising:

dissecting each of said compounds into fragments; grouping two or more compounds of said library together to form a mixture; linking together the fragments of each of the compounds; and

tracking the sequence of linkage of the members of said mixture.

22. A method of storing information about the member compounds of a virtual library of compounds comprising:

dissecting each of said compounds into fragments:

grouping said compounds of said library into mixtures where each mixture includes two or more member compounds of said library;

linking together the fragments of each of the compounds; and tracking the sequence of linkage of the members of each said mixture.

23. A method of storing information about the member compounds of a virtual library of compounds comprising:

dissecting each of said compounds into fragments;

representing each of said fragments as a transformation wherein each transformation is a one to one link between a fragment and a reagent used to introduce said fragment into one of said compounds;

grouping two or more compounds of said library together to form a mixture; linking together the transformation for each of the compounds; and tracking the sequence of linkage of the members of said mixture.

24. The method of claim 23 further including:

defining each said transformation to further include information related to the synthesis of its fragment from its reagent.

25. A method of storing information about the member compounds of a virtual library of compounds comprising:

dissecting each of said compounds into fragments;

representing each of said fragments as a transformation wherein each transformation is a one to one link between a fragment and a reagent used to introduce said fragment into one of said compounds;

grouping said compounds of said library into mixtures where each mixture includes two or more member compounds of said library;

linking together the transformation for each of the compounds; and tracking the sequence of linkage of the members of each said mixture.

26. The method of claim 25 further including:

DALETT POTOTOT

defining each said transformation to further include information related to the synthesis of its fragment from its reagent.